

Fully Synthetic

K1 Lube GX A3/B4

Superior grade gasoline engine oil
for ACEA A3/B4 specification

ACEA A3/B4, API SL (5W-30),
API SN (0W-40, 5W-40, 10W-40),
VW 502.00/505.00



DESCRIPTION

K1 Lube GX A3/B4 is a premium engine oil formulated with VHVI Group III base oils and high-quality and high-tech additives formulation. It is good for passenger cars without DPF or GPF with ACEA A3/B4. This engine oil provides long drain interval as well as good performance.

APPLICATIONS

- Naturally aspirated and turbocharged gasoline engines in passenger cars.
- Light truck gasoline engines.
- Gas-fuelled (natural gas and LPG) spark ignition engines where conventional passenger car motor oils are recommended
- Four-stroke gasoline engines in motorcycles and portable power equipment where the manufacturer recommends conventional passenger car motor oils.

PERFORMANCE STANDARDS

ACEA A3/B4, API SL (5W-30), API SN (0W-40, 5W-40, 10W-40),
VW 502.00/505.00

CUSTOMER BENEFITS

Extended Oil Drainage Interval

Outstanding oxidation property prevents the engine oil from losing its viscosity and allows engine oil to be used for a long time.

Maximum engine life

Excellent detergent additives provide noticeable piston cleanliness and better sludge control, providing necessary engine protection and extend engine service life.

High Quality VHVI Base Stock

Superior low temperature properties of Group III base oil make the start-up of engines easy at low temperature. Excellent thermal stability and oxidation stability of VHVI base oil protect suppress oil degradation and sludge formation inside engine.

KEY PROPERTIES

| SAE Viscosity | 0W-40 | 5W-30 | 5W-40 | 10W-40 |
|---|-----------|-----------|-----------|-----------|
| Kinematic Viscosity, mm ² /s @ 40°C | 76.3 | 71.2 | 91.7 | 86.4 |
| Kinematic Viscosity, mm ² /s @ 100°C | 13.3 | 12.0 | 15.1 | 13.1 |
| Viscosity Index | 178 | 166 | 174 | 151 |
| Pour Point, °C | -43 | -38 | -39 | -32 |
| Flash Point, COC, °C | 226 | 240 | 232 | 250 |
| Package (Liters) | 1, 4, 200 | 1, 4, 200 | 1, 4, 200 | 1, 4, 200 |